3

1

2

3

1

WHAT IS CLAIMED IS:

- 1. A process for cleaning paste residue from a workpiece
 2. comprising the step of electrolytically contacting the
 3. workpiece with an aqueous solution containing 0.2 to 2 weight
 4. percent TMAH.
 - 2. The process of claim 1 wherein the step of electrolytically contacting comprises spraying the workpiece with the aqueous solution.
 - 3. The process of claim 1 wherein the step of electrolytically contacting comprises immersing the workpiece in the aqueous solution.
 - 4. The process of claim 1 wherein the aqueous solution in the step of electrolytically contacting is maintained at a temperature of 25 to 80 °C.
 - 5. The process of claim 1 wherein the aqueous solution in the step of electrolytically contacting is maintained at a temperature of 70 °C.

1

2

3

- 6. The process of claim 1 wherein the aqueous solution in the step of electrolytically contacting contains 0.4 to 0.5 weight percent TMAH.
- 7. The process of claim 1 further comprising the step, prior to the step of electrolytically contacting, of nonelectrolytically contacting the workpiece with an aqueous solution containing 0.2 to 2 weight percent TMAH.
 - 8. The process of claim 7 wherein the step of nonelectrolytically contacting comprises spraying the workpiece with the aqueous solution.
 - 9. The process of claim 7 wherein the step of nonelectrolytically contacting comprises immersing the workpiece in the aqueous solution.
 - 10. The process of claim 7 wherein the aqueous solution in the step of nonelectrolytically contacting is maintained at a temperature of 25 to 80 °C.

- 1 11. The process of claim 7 wherein the aqueous solution in the step of nonelectrolytically contacting is maintained at a temperature of 70 °C.
- 1 12. The process of claim 1 wherein the workpiece is a screening mask.
- 13. The process of claim 1 wherein the paste comprises solder.
 - 14. The process of claim 1 wherein the paste comprises at least one metal selected from the group consisting of molybdenum, copper, tungsten, nickel, gold, palladium, platinum and silver.
- 1 15. The process of claim 1 wherein the paste residue 2 comprises an inorganic material selected from the group 3 consisting of ceramic and glass.
- 1 16. The process of claim 1 wherein the paste comprises a polymeric binder.